


MRPI-data stalen bouwproducten

concept

Bouwen met Staal, 2011.





PR

TR

BO

GE

OH

SL

VE

2011 MRPI Heavy Construction Products							
		Product	Levering	Constructie	Sloop	Verwerking	
Abiotic depletion, non fuel	kg Sb eq	-1,34E-04	5,54E-05	2,78E-06	4,53E-06	9,55E-05	2,38E-05
Abiotic depletion, fuel	Kg Sb eq	5,21E+00	1,45E-01	1,14E-01	2,56E-01	-2,72E+00	3,00E+00
Global warming (GWP100)	kg CO2 eq	9,08E+02	1,96E+01	1,70E+01	4,03E+01	-5,12E+02	4,73E+02
ozone layer depletion (ODP)	kg CFC-11 eq	1,55E-05	3,24E-06	2,04E-06	6,01E-06	-3,72E-06	2,31E-05
Photochemical oxidation	kg C2H4	3,30E-01	1,68E-02	9,37E-03	2,71E-02	-1,84E-01	1,99E-01
Acidification	kg SO2 eq	3,38E+00	1,03E-01	9,34E-02	2,32E-01	-1,51E+00	2,30E+00
Eutrophication	kg PO4--- eq	3,74E-01	2,34E-02	1,93E-02	5,49E-02	-1,53E-01	3,19E-01
Human toxicity	kg 1,4-DB eq	3,33E+01	5,64E+00	3,00E+00	7,27E+00	-8,85E+00	4,04E+01
Aquatic ecotoxicity, fresh water	kg 1,4-DB eq	3,02E+00	2,55E-01	1,75E-01	4,58E-01	-1,87E+00	2,04E+00
Aquatic ecotoxicity, fresh sediment	kg 1,4-DB eq	2,78E+00	3,14E-01	2,28E-01	5,97E-01	-1,23E+00	2,68E+00
aquatic ecotoxicity, marine water	kg 1,4-DB eq	6,34E+03	9,83E+02	8,29E+02	1,95E+03	-1,78E+03	8,33E+03
Aquatic ecotoxicity, marine sediment	kg 1,4-DB eq	7,90E+03	6,26E+02	1,14E+03	7,57E+02	-2,96E+03	7,47E+03
Terrestrial ecotoxicity	kg 1,4-DB eq	4,68E-01	4,54E-02	3,36E-02	4,03E-02	-1,40E-01	4,47E-01
Indicators							0,00E+00
Energy	MJ	1,36E+04	3,39E+02	2,87E+02	5,89E+02	-7,04E+03	7,83E+03
Energy, primary, renewable (MJ)	MJ	5,28E+02	3,93E+00	7,42E+00	2,00E+00	-2,48E+02	2,93E+02
Energy, primary, non-renewable (MJ)	MJ	1,32E+04	3,35E+02	2,80E+02	5,87E+02	-6,81E+03	7,56E+03
Waste (Hazardous)	kg	8,99E+01	7,73E+00	7,78E+00	6,40E+00	-2,98E+01	8,20E+01
Waste (Non hazardous)	Kg	1,11E+02	4,92E+00	4,70E-01	3,13E-01	-5,11E+01	6,51E+01
Additional parameters for SBK national database							0,00E+00
Water, fresh water use	m3	2,59E+03	2,29E+01	4,13E+01	1,11E+01	-1,22E+03	1,45E+03
MKI total	€	7,00E+01	2,47E+00	2,14E+00	4,64E+00	-3,58E+01	4,35E+01
	Recycling (%)	Reuse (%)	Landfill (%)	Export (%)			
	51	49	0	0			

2011 MRPI Medium Construction Products

		Product	Levering	Constructie	Sloop	Verwerking		
Abiotic depletion	kg Sb eq	2,44E-04	5,56E-05	6,51E-06	2,68E-06	-2,89E-04		1,93E-05
Abiotic depletion	Kg Sb eq	1,40E+01	1,45E-01	2,90E-01	1,53E-01	-8,14E+00		6,44E+00
Global warming	kg CO2 eq	2,59E+03	1,96E+01	4,50E+01	2,41E+01	-1,66E+03		1,02E+03
ozone layer depletion	kg CFC-11 eq	1,02E-05	3,25E-06	6,15E-06	3,60E-06	7,00E-06		3,02E-05
Photochemical smog	kg C2H4	1,23E+00	1,68E-02	2,83E-02	1,62E-02	-8,79E-01		4,11E-01
Acidification	kg SO2 eq	6,63E+00	1,03E-01	2,53E-01	1,39E-01	-2,96E+00		4,16E+00
Eutrophication	kg PO4--- eq	6,00E-01	2,35E-02	5,69E-02	3,28E-02	-1,96E-01		5,18E-01
Human toxicity	kg 1,4-DB eq	1,16E+02	5,66E+00	7,91E+00	4,34E+00	3,39E+00		1,37E+02
Aquatic ecotoxicity	kg 1,4-DB eq	2,92E+00	2,56E-01	4,87E-01	2,74E-01	-9,23E-01		3,01E+00
Aquatic ecotoxicity	kg 1,4-DB eq	2,70E+00	3,15E-01	6,35E-01	3,57E-01	3,37E-02		4,04E+00
Terrestrial ecotoxicity	kg 1,4-DB eq	1,33E+04	9,87E+02	2,14E+03	1,16E+03	1,65E+03		1,92E+04
Aquatic ecotoxicity	kg 1,4-DB eq	2,17E+04	6,28E+02	1,54E+03	4,30E+02	-2,55E+02		2,40E+04
Terrestrial ecotoxicity	kg 1,4-DB eq	9,99E-01	4,55E-02	5,85E-02	2,36E-02	1,38E-01		1,26E+00
Indicators								0,00E+00
Energy	MJ	3,17E+04	3,40E+02	6,88E+02	3,50E+02	-1,81E+04		1,50E+04
Energy, primary	MJ	1,05E+02	3,95E+00	7,88E+00	1,02E+00	1,31E+01		1,31E+02
Energy, primary	MJ	3,16E+04	3,36E+02	6,81E+02	3,49E+02	-1,81E+04		1,49E+04
Waste (Hazardous)	kg	1,95E+02	3,87E+00	3,90E+00	3,18E+00	4,02E+01		2,46E+02
Waste (Non hazardous)	Kg	2,89E+02	2,46E+00	4,41E-01	1,78E-01	-1,61E+02		1,31E+02
Additional parameters for SBK national database								0,00E+00
Water, fresh water	m3	2,16E+02	2,30E+01	4,39E+01	5,68E+00	6,58E+01		3,54E+02
MKI total	€	1,85E+02	2,48E+00	5,30E+00	2,76E+00	-9,95E+01		9,58E+01
		Recycling (%)	Reuse (%)	Landfill (%)	Export (%)			
		86	12	1	1			

2011 MRPI Light Construction Products

		Product	Levering	Constructie	Sloop	Verwerking	
Abiotic depletion	kg Sb eq	2,31E-03	5,56E-05	1,17E-05	5,18E-06	-2,15E-03	2,37E-04
Abiotic depletion	Kg Sb eq	1,35E+01	1,45E-01	3,29E-01	2,95E-01	-8,13E+00	6,14E+00
Global warming	kg CO2 eq	2,50E+03	1,96E+01	5,20E+01	4,64E+01	-1,64E+03	9,77E+02
ozone layer depletion	kg CFC-11 eq	1,96E-05	3,25E-06	6,41E-06	6,94E-06	5,16E-06	4,14E-05
Photochemical smog	kg C2H4	1,17E+00	1,68E-02	3,18E-02	3,13E-02	-8,32E-01	4,13E-01
Acidification	kg SO2 eq	6,63E+00	1,03E-01	2,76E-01	2,68E-01	-3,06E+00	4,21E+00
Eutrophication	kg PO4--- eq	6,11E-01	2,35E-02	6,02E-02	6,33E-02	-1,75E-01	5,83E-01
Human toxicity	kg 1,4-DB eq	5,24E+01	5,65E+00	8,26E+00	8,38E+00	5,64E+00	8,03E+01
Aquatic ecotoxicity	kg 1,4-DB eq	4,53E+00	2,55E-01	5,14E-01	5,29E-01	-2,10E+00	3,73E+00
Aquatic ecotoxicity	kg 1,4-DB eq	5,27E+00	3,15E-01	6,68E-01	6,89E-01	-2,17E+00	4,77E+00
Terrestrial ecotoxicity	kg 1,4-DB eq	1,06E+04	9,86E+02	2,23E+03	2,24E+03	1,11E+03	1,71E+04
Aquatic ecotoxicity	kg 1,4-DB eq	9,46E+03	6,28E+02	1,60E+03	8,34E+02	7,40E+02	1,33E+04
Terrestrial ecotoxicity	kg 1,4-DB eq	9,95E-01	4,55E-02	6,09E-02	4,56E-02	3,87E-02	1,19E+00
Indicators	0						0,00E+00
Energy	MJ	3,06E+04	3,40E+02	7,77E+02	6,77E+02	-1,79E+04	1,44E+04
Energy, primary	MJ	1,40E+02	3,94E+00	8,16E+00	2,00E+00	5,19E+00	1,60E+02
Energy, primary	MJ	3,04E+04	3,36E+02	7,68E+02	6,75E+02	-1,79E+04	1,42E+04
Waste (Hazardous)	kg	1,98E+02	7,75E+00	7,81E+00	6,29E+00	5,90E+00	2,26E+02
Waste (Non-hazardous)	Kg	3,17E+02	4,93E+00	1,43E+00	3,45E-01	-1,73E+02	1,51E+02
Additional parameters	0						0,00E+00
Water, fresh water	m3	3,75E+02	2,30E+01	4,55E+01	1,12E+01	3,70E+01	4,92E+02
MKI total	€	1,70E+02	2,47E+00	5,84E+00	5,33E+00	-9,82E+01	8,60E+01
		Recycling (%)	Reuse (%)	Landfill (%)	Export (%)		
		86	12	1	1		

2011 MRPI Inner walls

		Product	Levering	Constructie	Sloop	Verwerking	
Abiotic depletion	kg Sb eq	7,47E-04	5,55E-05	6,74E-06	5,36E-06	-3,46E-04	4,68E-04
Abiotic depletion	Kg Sb eq	1,43E+01	1,45E-01	3,25E-01	3,06E-01	-7,57E+00	7,55E+00
Global warming	kg CO2 eq	2,57E+03	1,96E+01	5,03E+01	4,81E+01	-1,53E+03	1,16E+03
ozone layer depletion	kg CFC-11 eq	4,32E-05	3,25E-06	7,01E-06	7,19E-06	2,25E-06	6,29E-05
Photochemical smog	kg C2H4	1,28E+00	1,68E-02	3,20E-02	3,24E-02	-8,58E-01	4,99E-01
Acidification	kg SO2 eq	6,78E+00	1,03E-01	2,85E-01	2,77E-01	-2,55E+00	4,89E+00
Eutrophication	kg PO4--- eq	7,63E-01	2,35E-02	6,47E-02	6,56E-02	-1,78E-01	7,38E-01
Human toxicity	kg 1,4-DB eq	1,04E+02	5,65E+00	8,95E+00	8,68E+00	1,84E+00	1,29E+02
Aquatic ecotoxicity	kg 1,4-DB eq	5,98E+00	2,55E-01	5,52E-01	5,48E-01	-2,22E+00	5,11E+00
Aquatic ecotoxicity	kg 1,4-DB eq	6,77E+00	3,15E-01	7,19E-01	7,14E-01	-2,02E+00	6,49E+00
Terrestrial ecotoxicity	kg 1,4-DB eq	2,13E+04	9,85E+02	2,42E+03	2,32E+03	2,94E+02	2,73E+04
Aquatic ecotoxicity	kg 1,4-DB eq	1,96E+04	6,27E+02	1,64E+03	8,59E+02	1,14E+02	2,28E+04
Terrestrial ecotoxicity	kg 1,4-DB eq	2,08E+00	4,55E-02	6,40E-02	4,72E-02	-1,05E-03	2,24E+00
Indicators							0,00E+00
Energy	MJ	3,25E+04	3,40E+02	7,67E+02	7,01E+02	-1,66E+04	1,77E+04
Energy, primary	MJ	2,36E+02	3,94E+00	8,08E+00	2,03E+00	-5,15E-01	2,50E+02
Energy, primary	MJ	3,23E+04	3,36E+02	7,59E+02	6,99E+02	-1,66E+04	1,74E+04
Waste (Hazardous)	kg	4,01E+02	7,74E+00	7,81E+00	6,37E+00	-6,12E-01	4,22E+02
Waste (Non-hazardous)	Kg	3,59E+02	4,93E+00	7,28E-01	3,56E-01	-1,22E+02	2,42E+02
Additional parameters for SBK national database							0,00E+00
Water, fresh water	m3	8,29E+02	2,30E+01	4,50E+01	1,14E+01	-4,76E+00	9,04E+02
MKI total	€	1,85E+02	2,47E+00	5,93E+00	5,53E+00	-9,11E+01	1,08E+02
		Recycling (%)	Reuse (%)	Landfill (%)	Export (%)		
		86	12	1	1		

2011 MRPI Cladding and Decking

		Product	Levering	Constructie	Sloop	Verwerking	
Abiotic depletion	kg Sb eq	2,34E-03	5,56E-05	7,31E-06	7,32E-06	-2,25E-03	1,65E-04
Abiotic depletion	Kg Sb eq	1,45E+01	1,45E-01	2,98E-01	4,12E-01	-1,04E+01	4,96E+00
Global warming	kg CO2 eq	2,60E+03	1,96E+01	4,47E+01	6,48E+01	-1,94E+03	7,91E+02
ozone layer depletion	kg CFC-11 eq	9,87E-06	3,25E-06	5,46E-06	9,62E-06	3,21E-06	3,14E-05
Photochemical smog	kg C2H4	9,86E-01	1,68E-02	2,52E-02	4,34E-02	-7,64E-01	3,07E-01
Acidification	kg SO2 eq	6,65E+00	1,03E-01	2,46E-01	3,73E-01	-4,01E+00	3,36E+00
Eutrophication	kg PO4--- eq	5,78E-01	2,35E-02	5,14E-02	8,79E-02	-2,84E-01	4,57E-01
Human toxicity	kg 1,4-DB eq	3,43E+01	5,66E+00	7,85E+00	1,17E+01	7,83E-02	5,96E+01
Aquatic ecotoxicity	kg 1,4-DB eq	4,02E+00	2,56E-01	4,61E-01	7,35E-01	-2,66E+00	2,81E+00
Aquatic ecotoxicity	kg 1,4-DB eq	5,15E+00	3,15E-01	6,02E-01	9,58E-01	-3,32E+00	3,70E+00
Terrestrial ecotoxicity	kg 1,4-DB eq	7,43E+03	9,87E+02	2,16E+03	3,13E+03	-1,72E+02	1,35E+04
Aquatic ecotoxicity	kg 1,4-DB eq	7,26E+03	6,28E+02	2,74E+03	1,26E+03	-4,14E+02	1,15E+04
Terrestrial ecotoxicity	kg 1,4-DB eq	9,92E-01	4,55E-02	8,29E-02	6,55E-02	-9,48E-02	1,09E+00
Indicators							0,00E+00
Energy	MJ	3,26E+04	3,40E+02	7,41E+02	9,48E+02	-2,29E+04	1,17E+04
Energy, primary	MJ	1,52E+02	3,95E+00	1,75E+01	3,54E+00	-2,33E+01	1,54E+02
Energy, primary	MJ	3,24E+04	3,36E+02	7,24E+02	9,44E+02	-2,29E+04	1,16E+04
Waste (Hazardous)	kg	1,59E+02	7,76E+00	7,92E+00	1,15E+01	-1,55E+01	1,71E+02
Waste (Non-hazardous)	Kg	3,82E+02	4,93E+00	1,17E+00	5,20E-01	-2,66E+02	1,22E+02
Additional parameters for SBK national database							0,00E+00
Water, fresh water	m3	5,91E+02	2,30E+01	9,72E+01	1,97E+01	-1,16E+02	6,14E+02
MKI total	€	1,72E+02	2,48E+00	5,55E+00	7,46E+00	-1,19E+02	6,89E+01
		Recycling (%)	Reuse (%)	Landfill (%)	Export (%)		
		69	29	1	1		